

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	114	(simulat\$3 emulat\$3) with input\$1 and expect\$3 with (list table database) and ("714"/\$ 365/201 324/765).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 14:18
S2	58	S1 and (error fault\$3 fail\$4 defect\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 14:18
S3	42	S2 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 14:20
S4	1272	verification near9 (design hardware circuit device) and (list table record\$3 history database) with expect\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 18:18
S5	963	S4 and (test\$3 debug\$4 diagno\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 18:18
S6	337	S5 and ((error fault\$3 defect \$3 fail\$4) with expect\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 18:20
S7	186	S6 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 18:20
S8	1	("6,412046").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/11/23 18:31
S10	1	("6,412046").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/11/24 09:28
S11	1	("5,570,376").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/11/24 09:32
S13	2	10/770,741	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 13:52

S14	1	10/712902	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 13:55
S15	1	("5570376").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2010/06/28 14:08
S16	4330	(circuit device) near5 under near1 test\$3 and simulat\$3 and compar\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 17:22
S17	117	(simulat\$3 emulat\$3) with input\$1 and expect\$3 with (list table database) and ("714"/\$ 365/201 324/765). ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 17:23
S18	58	S17 and (error fault\$3 fail\$4 defect\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 17:23
S19	42	S18 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 17:23
S20	1374	verification near9 (design hardware circuit device) and (list table record\$3 history database) with expect\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 17:23
S21	1027	S20 and (test\$3 debug\$4 diagno\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 17:23
S22	356	S21 and ((error fault\$3 defect \$3 fail\$4) with expect\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 17:23
S23	190	S22 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 17:23
S24	1	("6,412046").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2010/06/28 17:23
S25	1	("6,412046").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2010/06/28 17:23
S26	1	("5,570,376").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2010/06/28 17:23
S27	1042	S16 and (compar\$4 with expect\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 17:25

S28	292	S27 and (simulat\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 17:33
S29	270	S28 and (test\$3 debug\$4 diagno\$4).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 17:33
S30	127	S29 and (under near1 test \$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 17:33
S31	70	S30 and (fault\$3 defect\$3 error fail\$4).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 17:50
S32	36	S31 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/06/28 17:58

6/ 29/ 2010 10:31:07 AM